## **Conservation Breeding Programs:**

#### **RED PANDA**



Red Panda (*Ailurus fulgens*) is a small mammal of the Himalayas, almost the size of a jungle cat with a chestnut coat and ringed tail. It is distributed in the Himalayas from Central Nepal through northern Burma in the mountains of South-Western China at an altitude ranging between 900-13,000 feet. In India, Red Panda is distributed in Sikkim, Darjeeling Hills, and Arunachal Pradesh. Red Panda is threatened by habitat loss and fragmentation. Red Panda was also hunted and trapped in large numbers to be kept as pets and for supply to zoos all over the world. The species is enlisted as Endangered by the IUCN (2015) with a declining population in its distribution range. The species is a protected species in all its range countries (Nepal, Bhutan, India, Burma, and China). In India, species receive protection under the Indian Wildlife Protection Act (1972). The species is also under the CITES Appendix I. Population is estimated fewer than 2500 according to the Red Panda network.

The Red Panda Conservation Breeding Project at Padmaja Naidu Himalayan Zoological Park, Darjeeling is one of the most successful and only breeding programmes for the species in its natural distribution zone.

#### Mission:

To breed genetically and demographically viable red pandas in captivity with the aim to augment the ex-situ population when the need arises.

To create awareness of the importance of conservation of the species.

To facilitate research on the biology, management, and in-situ and ex-situ conservation of the species.

## **Objective:**

To increase the genetically healthy population

To provide a backup population for the wild by breeding genetically and demographically competent individuals.

To donate stock to other zoos

Monitoring and modifying management practices to provide survival of Red Panda in captivity as well as in the wild

For research education and public awareness

### **HISTORY**

In 1986, a planned conservation Breeding Project as a part of the Global Captive Breeding Master Plan was initiated in the early nineties in Darjeeling Zoo in response to International Conservation efforts, though the initiation of the conservation breeding project and improvement/modification of the existing housing facility.

At the beginning of the project in 1990, the Park had one male (Basant) and three female red pandas (Amita, Chanda & Divya) of wild origin in stock. One male 'Oscar' was brought from Rotterdam Zoo on 1<sup>st</sup> April 1993 to augment the existing populations of 4 Red Pandas in the Park. The first successful (planned) breeding of the Red Panda occurred on 20.06.1994 when two cubs "Ekta" and "Friend" were born to 'Basant' and 'Amita'.

The population at the park was further augmented by the acquisition of red pandas from foreign zoos. Two males and 1 female namely 'Hari', 'Gora', and 'Indira' from Rotterdam, Koln, and Madrid respectively, arrived in Darjeeling on November 10, 1994, with the purpose of introducing new blood. Two more red pandas, one male and one female, namely 'Omin' and 'Vicky', from Rotterdam and Antwerp respectively were acquired on 25.12.1996 to continue the conservation breeding programme.

The ultimate objective of a conservation breeding project is the reintroduction or augmentation of the species in its wild habitat. Therefore in 2003 when the Park had a stable genetically healthy population of 21 red pandas, the Park released captive-bred red pandas into the wild habitat of Singalila National Park.

In 2007, Darjeeling Zoo was designated as the Coordinating Zoo for the conservation breeding of red pandas by the Central Zoo Authority, Himalayan zoological park, Sikkim was designated as the participating zoo.

In 2007 and 2008 two wild-caught males and one female were acquired from the Auckland Zoo, in 2010 one female was again acquired from Auckland Zoo to increase the breeding potential and increase genetic variability of the existing captive population.

In 2012, a Red Panda census was carried out in Singalila National Park and Neora Valley National Park to assess their numbers in the wild through direct sighting and genetic analysis through fecal samples. 31 red pandas were directly sighted in both the national parks. Through genetic analysis, Singalila National Park had at least 38 (17:4:17) red pandas and Neora Valley National Park had at least 32 (12:13:7) red pandas. Along with the population assessment of the wild habitats, GIS mapping of both National Parks and threat analysis was also conducted.

A short-term research project was initiated from March 2012-2014 and funded by the Central Zoo Authority titled "Study of Red Panda (*Ailurus fulgens*) in ex-situ facilities in co-relation with in-situ facilities for conservation breeding".

In 2013, hormonal and genetic analysis of the captive red pandas was conducted in association with LaCONES, CCMB. The results showed that the captive population was genetically diverse and all females exhibited hormonal cyclicity.

5 hectares of land in Topkedara block under Senchal Wildlife Sanctuary was handed over to Padmaja Naidu Himalayan Zoological Park for the construction of the off-display Conservation Breeding Centre for Snow leopard and Red Panda. The new off-display Conservation Breeding Centre for Snow leopard (Uncia uncia) and Red Panda (Ailurus fulgens) at Topkedara funded by the Govt. of West Bengal and Central Zoo Authority, MoEF was inaugurated on 08.10.2013 by the Honourable Minister in Charge (Forest) Shri. Hiten Barman along with North Bengal Development Minister Shri. Gautam Deb. The centre currently has 6 open enclosures for the red panda.

A research project titled "Red Panda Nutrition- Towards an Integrated Approach" funded by Central Zoo Authority was initiated in 2013.

Pt Govind Ballabh Panth High Altitude Zoo, Nainital was approved as the participating zoo by CZA in 2013.

Population Habitat Viability Analysis (PHVA) for red pandas was conducted in November 2014.

A pair of red pandas were transferred to Nainital zoo and one female red panda was acquired from Sikkim Zoo to further the breeding program in 2014.

A research project titled "Studies on the Population and Behavioural Ecology of Red Panda (*Ailurus fulgens*) in Singalila National Park and Neora Valley National Park with reference to conservation" funded by the West Bengal Zoo Authority was completed in 2016.

One pair of red pandas was transferred to Tierpark Berlin zoo in 2020.

A research project titled "Studies on Population and Behavioural ecology of Red Panda in Neora Valley National Park", funded by West Bengal Zoo Authority was initiated in 2021, the project is still ongoing.

The Second Red Panda Global Species Management Workshop was organized and hosted by PNHZ Park, Darjeeling in association with West Bengal Zoo Authority in April 2019. It was attended by 11 foreign delegates including the International Stud bookkeeper of Red Panda & GSMP convener, Dr. Angela Glatston, Rotterdam Zoo, and 37 delegates from 7 states in India.

A research project titled "Studies on Population and Behavioural ecology of Red Panda in Neora Valley National Park", funded by West Bengal Zoo Authority was initiated in 2021, the project is still ongoing.

A research project titled "Red Panda Augmentation in Singalila National Park and Neora Valley National Park, West Bengal" for the red panda augmentation in Singalila National Park was initiated in 2019. 2 pairs of behaviourally morphologically, and genetically

competent red panda was released in Singalila National Park in 2022 in order to augment the wild population. Post-release monitoring of the released captive pandas is being carried out by researchers.





Fig: Ariel view of Topkeydara

Fig: Red Panda Enclosure

## **ENCLOSURES & ENRICHMENT**

The red panda is a crepuscular, arboreal, and solitary animal. The enclosures for red pandas at PNHZ Park have been designed with careful consideration so that the enclosures meet the physical, social, behavioural, and psychological needs keeping in mind their natural ecology. The enclosures are designed and enriched to accommodate all behaviours. The structural enrichment is changed regularly to prevent boredom in animals and to stimulate their natural behaviours.

All enclosures are open with undulating topography, natural vegetation, and edible grasses. The enclosures are provided with complicated aerial walkways, nesting boxes at varying heights, and resting platforms. Visual barriers made from bamboo are present between all enclosures to reduce stress.









### **VETERINARY CARE**

Captive red pandas are usually free from diseases except for parasitic infections at times. Red pandas have been known to be prone to canine distemper, canine parvovirus, Tyzzer's Fig. A.& B. Feeding Platforms, C. Cubbing Box, D. Ariel Walkways disease, and dental problems. To prevent infections in captive pandas, the enclosures are regularly cleaned and disinfected. The stool is collected and tested for parasites regularly, deworming is done every 3 months or when a parasite is detected during stool tests. Behavioral observation is done regularly to check for any symptoms of diseases.

SL	SPECIE	TYPE OF	DISINFECTANT USED	FREQUENCY OF
NO	S	<b>ENCLOSURE</b>	AND METHOD	DISINFECTION
1	ALL	OPEN	1. Virkon S: 10% Solution	Every Two Weeks
	SPECIES		Sprayed	
2	ALL	NIGHT	1. Virkon S: 10% Solution	Every two weeks
	SPECIES	SHELTERS	Sprayed	
			3. Blow Flame: Flaming	Every Two Weeks
			4. Gluteraldehyde	Every day
			Concentrate.: 10% wash	-
			5. Potassium Permanganate:	Every day
			Foot bath	

**Deworming Schedule** 

# **DISINFECTION SCHEDULE**

SPECIES	DRUG USED			MONTH
Red Panda (Ailurus fulgens)	Praziquantel, Fenbendazole Fenbendazole Albendazole	Pyrantel	Pamoate,	APRIL- JUNE &JANUARY – MARCH JULY-SEPTEMBER OCTOBER- DECEMBER

## **FEED**

Sl.No	Species	Feed item	Quantity		Day of fasting
			Winter	Summer	
1	Red Panda	i. Egg	01 pc	1 pc	No fasting day
	(Ailurus	ii. Banana	300 gms	200 gms	observed
	fulgens)	iii. Apple	200 gms	500 gms	
		iv. Honey	50 ml	50 ml	
		v. Milk	400 ml	500 ml	
		vi. Bamboo	05 kgs	4kgs	
		leaves	200 gms	200 gms	
		vii. other seasonal			
		fruits like	Upon	Upon	

	watermelon	availability	availability	
	orange,			
	grapes,			
	cucumber			
	viii. wild fruits,			
	green leaves			

Proper feeding management of wild animals in captivity incorporates both husbandry skills and applied nutritional sciences. As a basic foundation of animal management nutrition is integral to longevity, disease prevention, growth, and reproduction.

# **Supplements:**

Cod liver oil, calcium tabs, Revital, astymin, evion 400, Liv 52 is provided, for seven days every month, to supplement the captive diet and meet the species' physiological requirements

## **RESEARCH STUDIES**

S.	TITLE	COMPLETED	FUNDING	ABSTRACT
NO		ON	AGENCY	7 IDSTRACT
1.	Study of Red Panda (Ailurus fulgens) in exsitu facilities in corelation with in-situ facilities for conservation breeding	2014	Central Zoo Authority	The study attempted to provide in-situ and exsitu status of Red panda in PNHZ Park and in Singalila National Park and Neora Valley National Park through direct sighting and genetic studies. Habitat study and threat assessment were done to analyze the suitability of the habitat. Captive behavioral study was conducted to add to the limited behavioral studies in captivity and to better understand the species in order to improve husbandry practices.
2.	Red Panda Nutrition- Towards an Integrated Approach		Central Zoo Authority	The study involved dietary analysis of the red panda in-situ as well as ex-situ, in order to provide nutritional

_	,			
				support for all stages of the animals' life. The study assessed the diet of the species and main food sources in the wild through micro histological techniques including nutritional values in order to formulate a nutritionally sufficient captive diet.
3.	Studies on the Population and Behavioural Ecology of Red Panda (Ailurus fulgens) in Singalila National Park and Neora Valley National Park with reference to conservation	2016	West Bengal Zoo Authority	The study provides insitu status of the red panda in Singalila National Park. A habitat study was conducted and fringe village profiles on livelihood and natural resources were carried out. with the aid of questionnaires and rural appraisal.
4.	Red Panda Augmentation in Singalila National Park and Neora Valley National Park, West Bengal	Ongoing	Ministry of Environment, Forest & Climate change, Govt of India	Behaviorally, genetically and demographically competent captive red pandas were released in the wild habitat of Singalila National Park in order to augment the wild population. The animals were subjected to behavioral observations, antipredator and antihuman training, and feed changes before release. In order to acclimatize the animals, they were kept in the soft release facility for two months before release. The animals were collared with Iridium-linked radio collars for postmonitoring. The study aims to appraise the

	T	T	T	
				success of
				reintroduction
				programs and come up
				with a standard
				protocol for future
				reintroductions.
5.	Studies on Population and	Ongoing	West Bengal	In Neora Valley
	Behavioural ecology of		Zoo	national park, the red
	Red Panda in Neora		Authority	panda has been sparsely
	Valley National Park		,	studied and very less
				data is available on the
				population and
				habitat of the species in
				the area. Taking into
				consideration the lack
				of information
				regarding the status of
				the red panda, its
				habitat and threats in
				Neora Valley National
				Park,
				a detailed study is
				undertaken to address
				the above-mentioned
				issues. Extensive field
				survey using line
				transect was used to
				estimate species
				population of the red
				panda in the
				area, fecal pellets were
				used as proxy to
				estimate population of
				the red panda. Camera
				traps were deployed in
				the habitat of red panda
				to investigate habitat
				use pattern,
				determination of
				behavior, species
				interaction and
				community structure.
				Quadrant method
				was used to assess the
				vegetation of the area
				and various
				environmental variables
				were
				collected to identify
				potential and

vulnerable habitat of the red panda. Questionnaire survey was used to identify conservation problems and pressure at Neora Valley National Park. The target audience of the questionnaire survey includes villagers from the villages adjoining Neora Valley national park and the forest officials of the national park.













Fig: Red Panda augmentation program